

TECHNICAL REFERENCE GUIDE

Congoleum[®]
www.congoleum.com

Technical Data

PATTERN NUMBER	PATTERN NAME	YOUR CHOICE INSTALL	REVERSE SHEETS	ECONOMY MATCH FOR SEAMING		TRUE DESIGN REPEAT	
				LENGTH	WIDTH	LENGTH	WIDTH

AIRSTEP

ADVANTAGE		Adhesive: AS-01	Seam Sealer: SU106				
88000 - 88005	Savor	Yes*	No	54"	72"	54"	72"
88010 - 88015	Playtime	Yes*	No	Random	48"	54"	48"
88030 - 88033	Unwind	Yes*	No	27"	13.09"	54"	144"
88041 - 88042	Curious	Yes*	No	Random	36"	54"	72"
88050 - 88054	Wonder	Yes*	No	6"	36"	54"	144"
88060 - 88062	Reminisce	Yes*	No	9"	48"	54"	48"
88070 - 88072	Mystic	Yes*	No	18"	16"	54"	48"
88080 - 88082	Dream	Yes*	No	27"	36"	54"	72"

AIRSTEP

EVOLUTION		Adhesive: AS-01	Seam Sealer: SU106				
72000 - 72006	Terrace	Yes*	No	18"	36"	54"	108"
72010 - 72019	Colonial Plank	Yes*	No	Random	36"	54"	72"
72044 - 72047	Cozumel	Yes*	No	18"	27"	54"	72"
72050 - 72055	Grand Canyon	Yes*	No	13.5"	13.09"	54"	78.54"
72060 - 72062	Fair Wind	Yes*	No	27"	72"	54"	72"
72063 - 72067	Rendezvous	Yes*	No	27"	9"	54"	72"
72080 - 72084	Pathways	Yes*	No	27"	36"	54"	72"
72090 - 72091	Traverstone	Yes*	No	27"	13.09"	54"	144"
72101 - 72105	Forest Valley	Yes*	No	Random	8"	54"	48"
72120 - 72124	Rockport	Yes*	No	Random	48"	54"	48"
72130 - 72133	Acacia	Yes*	No	Random	36"	54"	36"
72140 - 72143	Casa Nova	Yes*	No	27"	13.09"	54"	144"
72150 - 72153	Kaleidoscope	Yes*	No	18"	36"	54"	108"
72160 - 72162	Liberty Square	Yes*	No	18"	18"	54"	72"
72170 - 72173	Contour	Yes*	No	27"	36"	54"	72"

AIRSTEP PLUS

		Adhesive: AS-01	Seam Sealer: SU106				
58000	North Star	Yes*	No	18"	36"	18"	36"
58005 - 58008	Woodland	Yes*	No	9"	9"	54"	72"
58010 - 58011	Satin Cloud	Yes*	No	27"	72"	54"	72"
58020 - 58027	Starlight	Yes*	No	27"	26.18"	54"	26.18"
58040 - 58041	Western Slate	Yes*	No	27"	36"	54"	72"
58080 - 58082	Crossing	Yes*	No	54"	72"	54"	72"
58100 - 58102	Oxford Square	Yes*	No	6"	6"	54"	108"
58110 - 58111	Horizon	Yes*	No	27"	13.09"	54"	52.36"
58120	Edgewood	Yes*	No	Random	36"	54"	72"
58130 - 58133	Topside	Yes*	No	Random	9"	54"	108"
58140 - 58142	Linea	Yes*	No	27"	12"	54"	48"
58150 - 58152	Counterpoint	Yes*	No	Random	Random	54"	72"

ARMORCORE

		Adhesive: 3044	Seam Sealer: SU80 or SU92				
AC131 - AC133	Woodridge	Yes	No	9"	9"	54"	72"
AC150 - AC153	Terrace Paver	Yes	No	18"	36"	54"	108"
AC241	Loft	Yes	No	Random	36"	54"	72"
AC300 - AC301	Around The Block	Yes	No	18"	18"	54"	72"
AC411 - AC412	Oak Run	Yes	No	Random	48"	54"	48"
AC430 - AC432	Valley Path	Yes	No	27"	39.5"	54"	144"
AC500 - AC502	Farmhouse Timber	Yes	No	Random	36"	54"	72"
AC600 - AC604	Contempo	Yes	No	6"	6"	54"	108"
AC812 - AC814	Ethereal	Yes	No	27"	72"	54"	72"
AC830 - AC831	Your Point	Yes	No	Random	Random	54"	72"
AC901 - AC903	Canyon View	Yes	No	27"	36"	54"	72"
AC950 - AC951	Santa Cruz	Yes	No	27"	18"	54"	144"
AC980	Santa Fe	Yes	No	9"	9"	54"	72"

PATTERN NUMBER	PATTERN NAME	YOUR CHOICE INSTALL	REVERSE SHEETS	ECONOMY MATCH FOR SEAMING		TRUE DESIGN REPEAT	
				LENGTH	WIDTH	LENGTH	WIDTH

ARMORCORE PRO Adhesive: AS-01

		Seam Sealer: SU80 or SU92					
AP131 - AP133	Woodridge	Yes*	No	9"	9"	54"	72"
AP150 - AP153	Terrace Paver	Yes*	No	18"	36"	54"	108"
AP241	Loft	Yes*	No	Random	36"	54"	72"
AP300 - AP301	Around The Block	Yes*	No	18"	18"	54"	72"
AP411 - AP412	Oak Run	Yes*	No	Random	48"	54"	48"
AP430 - AP432	Valley Path	Yes*	No	27"	39.5"	54"	144"
AP500 - AP502	Farmhouse Timber	Yes*	No	Random	36"	54"	72"
AP600 - AP604	Contempo	Yes*	No	6"	6"	54"	108"
AP812 - AP814	Ethereal	Yes*	No	27"	72"	54"	72"
AP830 - AP831	Your Point	Yes*	No	Random	Random	54"	72"
AP901 - AP903	Canyon View	Yes*	No	27"	36"	54"	72"
AP950 - AP951	Santa Cruz	Yes*	No	27"	18"	54"	144"
AP980	Santa Fe	Yes*	No	9"	9"	54"	72"

ARMORCORE UR Adhesive: 3044

		Seam Sealer: SU106					
AU131 - AU133	Woodridge	Yes	No	9"	9"	54"	72"
AU150 - AU153	Terrace Paver	Yes	No	18"	36"	54"	108"
AU241	Loft	Yes	No	Random	36"	54"	72"
AU300 - AU301	Around The Block	Yes	No	18"	18"	54"	72"
AU411 - AU412	Oak Run	Yes	No	Random	48"	54"	48"
AU430 - AU432	Valley Path	Yes	No	27"	39.5"	54"	144"
AU500 - AU502	Farmhouse Timber	Yes	No	Random	36"	54"	72"
AU600 - AU604	Contempo	Yes	No	6"	6"	54"	108"
AU812 - AU814	Ethereal	Yes	No	27"	72"	54"	72"
AU830 - AU831	Your Point	Yes	No	Random	Random	54"	72"
AU901 - AU903	Canyon View	Yes	No	27"	36"	54"	72"
AU950 - AU951	Santa Cruz	Yes	No	27"	18"	54"	144"
AU980	Santa Fe	Yes	No	9"	9"	54"	72"

ARMORCORE PRO UR Adhesive: AS-01

		Seam Sealer: SU106					
UP131 - UP133	Woodridge	Yes*	No	9"	9"	54"	72"
UP150 - UP153	Terrace Paver	Yes*	No	18"	36"	54"	108"
UP241	Loft	Yes*	No	Random	36"	54"	72"
UP300 - UP301	Around The Block	Yes*	No	18"	18"	54"	72"
UP411 - UP412	Oak Run	Yes*	No	Random	48"	54"	48"
UP430 - UP432	Valley Path	Yes*	No	27"	39.5"	54"	144"
UP500 - UP502	Farmhouse Timber	Yes*	No	Random	36"	54"	72"
UP600 - UP604	Contempo	Yes*	No	6"	6"	54"	108"
UP812 - UP814	Ethereal	Yes*	No	27"	72"	54"	72"
UP830 - UP831	Your Point	Yes*	No	Random	Random	54"	72"
UP901 - UP903	Canyon View	Yes*	No	27"	36"	54"	72"
UP950 - UP951	Santa Cruz	Yes*	No	27"	18"	54"	144"
UP980	Santa Fe	Yes*	No	9"	9"	54"	72"

ARMORCORE LC Adhesive: AS-01

		Seam Sealer: SU106					
LC131 - LC133	Woodridge	Yes*	No	9"	9"	54"	72"
LC150 - LC153	Terrace Paver	Yes*	No	18"	36"	54"	108"
LC241	Loft	Yes*	No	Random	36"	54"	72"
LC300 - LC301	Around The Block	Yes*	No	18"	18"	54"	72"
LC411 - LC412	Oak Run	Yes*	No	Random	48"	54"	48"
LC430 - LC432	Valley Path	Yes*	No	27"	39.5"	54"	144"
LC500 - LC502	Farmhouse Timber	Yes*	No	Random	36"	54"	72"
LC600 - LC604	Contempo	Yes*	No	6"	6"	54"	108"
LC812 - LC814	Ethereal	Yes*	No	27"	72"	54"	72"
LC830 - LC831	Your Point	Yes*	No	Random	Random	54"	72"
LC901 - LC903	Canyon View	Yes*	No	27"	36"	54"	72"
LC950 - LC951	Santa Cruz	Yes*	No	27"	18"	54"	144"
LC980	Santa Fe	Yes*	No	9"	9"	54"	72"

* Your Choice Plus - Fully adhere, perimeter fasten loose lay

Technical Data

Residential Resilient Sheet Flooring

Product	Construction	Packaging		Ship. Weight		Applicable Federal Specifications *	Warranty
		Width	S/Y	Per Unit	Per Pkg.		
AIRSTEP ADVANTAGE featuring Scotchgard™ Protector and Silver Antibacterial Product Protection	UltraTec Construction Wearlayer: Vinyl Resin and Urethane with Aluminum Oxide Cushion: High Density Vinyl Foam Inner Liner: White Shield Filled Fibrous Composition Backing: Dense Vinyl Composition	12'	80-130	4.35 lbs. per S/Y	536 lbs. Avg.	ASTM F1303, Type I, Grade 2 Class B	AirStep Lifetime Residential Limited Warranty
AIRSTEP EVOLUTION featuring Scotchgard™ Protector and Silver Antibacterial Product Protection	UltraTec Construction Wearlayer: Vinyl Resin and Urethane with Aluminum Oxide Cushion: High Density Vinyl Foam Inner Liner: White Shield Filled Fibrous Composition Backing: Dense Vinyl Composition	12'	80-150	4.05 lbs. Per S/Y	571 lbs. Avg.	ASTM F1303, Type I, Grade 3 Class B	AirStep 50 Year Residential Limited Warranty
AIRSTEP PLUS featuring Scotchgard™ Protector and Silver Antibacterial Product Protection	UltraTec Construction Wearlayer: Vinyl Resin and Urethane Cushion: High Density Vinyl Foam Inner Liner: White Shield Filled Fibrous Composition Backing: Dense Vinyl Composition	12'	80-160	3.41 lbs. Per S/Y	500 lbs. Avg.	ASTM F1303, Type I, Grade 3 Class B	AirStep 20 Year Residential Limited Warranty
ARMORCORE Matte Finish Wearlayer	ArmorGuard Construction Wearlayer: Low Gloss Vinyl Resin Composition Cushion: High Density Vinyl Foam Backing: White Shield Filled Fibrous Composition BAC STOP Protection	6'	40-130	2.71 lbs. Per S/Y	257 lbs. Avg.	ASTM F1303, Type I, Grade 3 Class A	5 Year Residential Limited Warranty
		12'	80-190	2.71 lbs. Per S/Y	490 lbs. Per S/Y		
ARMORCORE PRO Matte Finish Wearlayer	UltraTec Construction Wearlayer: Low Gloss Vinyl Resin Composition Cushion: High Density Vinyl Foam Backing: Fibrous Felt Inner Layer and Dense Flexible Vinyl Composite Backing	6'	40-130	2.9 lbs. Per S/Y	244 lbs. Avg.	ASTM F1303, Type I, Grade 3 Class B	5 Year Residential Limited Warranty
		12'	80-170	2.9 lbs. Per S/Y	475 lbs. Avg.		
ARMORCORE UR Matte Finish Wearlayer SDS - Stain Defense System	ArmorGuard Construction Wearlayer: Vinyl Resin and Urethane Cushion: High Density Vinyl Foam Backing: White Shield Filled Fibrous Composition BAC STOP Protection	6'	40-130	2.71 lbs. Per S/Y	265 lbs. Avg.	ASTM F1303, Type I, Grade 3 Class A	10 Year Residential Limited Warranty
		12'	80-190	2.71 lbs. Per S/Y	517 lbs. Avg.		
ARMORCORE PRO UR Matte Finish Wearlayer SDS - Stain Defense System	UltraTec Construction Wearlayer: Vinyl Resin and Urethane Cushion: High Density Vinyl Foam Backing: Fibrous Felt Inner Layer and Dense Flexible Vinyl Composite Backing	6'	40-130	3.3 lbs. Per S/Y	270 lbs. Avg.	ASTM F1303, Type I, Grade 3 Class B	10 Year Residential Limited Warranty
		12'	80-175	3.3 lbs. Per S/Y	509 lbs. Avg.		
ARMORCORE LC Matte Finish Wearlayer SDS - Stain Defense System	UltraTec Construction Wearlayer: Vinyl Resin and Urethane Cushion: High Density Vinyl Foam Backing: Fibrous Felt Inner Layer and Dense Flexible Vinyl Composite Backing	6'	40-130	3.3 lbs. Per S/Y	270 lbs. Avg.	ASTM F1303, Type I, Grade 1 Class B	25 Year Residential Limited Warranty*
		12'	80-140	3.3 lbs. Per S/Y	532 lbs. Avg.		

*5 Year Light Commercial Limited Warranty



All products are FloorScore Certified for indoor air quality performance. FloorScore certified hard surface flooring products are an alternative compliance to LEED credit EQ4.3 Low-Emitting Materials: Flooring Systems. For questions regarding any Congoleum flooring product consult the Congoleum website: www.congoleum.com.

195C Certified

Technical Data DuraCeramic Origins and DuraCeramic Dimensions

Product	Construction	Gauge (Nominal)	Size (Nominal)	Packaging			Carton Weight	DS100 Adhesive	DuraCeramic Premixed Grout	Warranty
				Sq. Ft. per Carton	Pieces per Carton	Cartons per Pallet				
DURACERAMIC ORIGINS featuring Scotchgard™ Protector Silver Antibacterial Product Protection	Nano-composite surface glaze Reinforced with Nylon particles Limestone composite base	.160"	15 5/8" x 15 5/8"	17	10	48	30.5 lbs.	Yes	Yes	Lifetime* Residential Limited Warranty
DURACERAMIC DIMENSIONS featuring Scotchgard™ Protector Silver Antibacterial Product Protection	Nano-composite surface glaze Reinforced with Nylon particles Limestone composite base	.160"	12" x 24"	20	10	36	36 lbs.	Yes	Yes	Lifetime* Residential Limited Warranty

Residential Tile and Plank

Product	Construction	Gauge (Nominal)	Size (Nominal)	Packaging			Carton Weight	AD32 or DS100 Adhesive	DuraCeramic Premixed Grout	Warranty
				Sq. Ft. per Carton	Pieces per Carton	Cartons per Pallet				
OVATIONS	Nano-composite surface glaze Limestone composite base	.140"	14" x 14"	20.4	15	45	32.7 lbs.	Yes	Yes	20 Year Residential Limited Warranty

Commercial Composition Tile

Product	Wearlayer	Gauge	Packaging			Carton Weight	Static Load Limit ***	Federal Specifications	AD-42 Adhesive	Warranty
			Sq. Ft. per Carton	Pieces per Carton	Cartons per Pallet					
ALTERNATIVES	Vinyl Composition	1/8"	45	45	45	64 lbs.	250 lbs. per sq. inch	ASTM F1066, Class 2	Yes	10 Year Residential Limited Warranty**

NOTES:

All products listed above pass N.B.S. Smoke Density testing (ASTM E662-450 or less).

All products listed pass Critical Radiant Flux (ASTM E648-0.45 w/cm2 or greater).

* DuraCeramic Origins and DuraCeramic Dimensions when installed in a light commercial application, carry a Five-Year Light Commercial Limited Warranty.

** Alternatives, when installed in a commercial application, carries a Five-Year Commercial Limited Warranty.

*** Static Load Limit: Laboratory test to determine 24 hr. residual indentation, not exceeding .005", after application of specific weight for 24 hours.

Technical Data

Timeless Luxury Vinyl Tile and Plank

TRIVERSA™ and TRIVERSA ID

Product	Wearlayer	Gauge	Size	Sq. Ft. per Carton	Pieces per Carton	Cartons per Pallet	Carton Weight	Static Load Limit *	Warranty
TRIVERSA 7" x 48"	20 mil (0.5 mm) High Performance Urethane	8 mm .310"	7" x 48"	28.52	12	40	47.8 lbs.	Passes 250 psi	Lifetime Residential \ 10 Year Commercial Limited Warranty
TRIVERSA 9" x 48"	20 mil (0.5 mm) High Performance Urethane	8 mm .310"	9" x 48"	29.94	10	40	50.2 lbs.	Passes 250 psi	Lifetime Residential \ 10 Year Commercial Limited Warranty
TRIVERSA 6" x 36"	20 mil (0.5 mm) High Performance Urethane Finish	8 mm .310"	6" x 36"	20.55	14	48	34.76 lbs.	Passes 250 psi	Lifetime Residential \ 10 Year Commercial Limited Warranty
TRIVERSA ID 18" x 48"	20 mil (0.5 mm) High Performance Urethane Finish	8 mm .310"	18" x 48"	24.68	4	44	41.55 lbs.	Passes 250 psi	Lifetime Residential \ 10 Year Commercial Limited Warranty
TRIVERSA ID 12" x 48"	20 mil (0.5 mm) High Performance Urethane Finish	8 mm .310"	12" x 48"	40.48	6	40.48	40.48 lbs.	Passes 250 psi	Lifetime Residential \ 10 Year Commercial Limited Warranty
TRIVERSA 12" x 24"	20 mil (0.5 mm) High Performance Urethane Finish	8 mm .310"	12" x 24"	24.03	12	48	40.5 lbs.	Passes 250 psi	Lifetime Residential \ 10 Year Commercial Limited Warranty
TRIVERSA ID 9" x 60"	20 mil (0.5 mm) High Performance Urethane Finish	8 mm .310"	9" x 60"	29.84	8	40	50 lbs.	Passes 250 psi	Lifetime Residential \ 10 Year Commercial Limited Warranty
TRIVERSA ID 5", 7", 12" x 60"	20 mil (0.5 mm) High Performance Urethane Finish	8 mm .310"	mixed width 5", 7", 12" x 60"	30.04	9	36	50.32 lbs.	Passes 250 psi	Lifetime Residential \ 10 Year Commercial Limited Warranty

NOTES:

All products listed pass Critical Radiant Flux (ASTM E648-0.45 w/cm² or greater).

* Static Load Limit: Laboratory test to determine 24 hr. residual indentation, not exceeding .005", after application of specific weight for 24 hours.

Triversa is not recommended for use on ramps, in commercial areas that require static dissipative flooring, or in commercial areas where the surface temperature over radiant heated substrate exceeds 85° F. Triversa is intended only for indoor applications.

Congoleum AD62 adhesivemust be used when heavy static or rolling loads are present or where high performance requirements must be met.

Technical Data

Timeless Luxury Vinyl Tile and Plank

STRUCTURE

Product	Wearlayer	Gauge	Size	Packaging			Carton Weight	Static Load Limit **	Federal Specifications *	Adhesive		Warranty
				Sq. Ft. per Carton	Pieces per Carton	Cartons per Pallet				AD-32 Pressure Sensitive Adhesive	AD-62 Wet Set Adhesive	
STRUCTURE TILE 18" x 36"	.020" High Performance Urethane Aluminum Oxide	.120"	18" x 36"	36	8	52	40 lbs.	Exceeds 2,500 psi	ASTM F 1700 Class III, Type B	Yes	Yes	Residential - Lifetime Commercial - 10 Year Limited Warranty
STRUCTURE TILE 18" x 18"	.020" High Performance Urethane Aluminum Oxide	.120"	18" x 18"	36	16	52	42 lbs.	Exceeds 2,500 psi	ASTM F 1700 Class III, Type B	Yes	Yes	Residential - Lifetime Commercial - 10 Year Limited Warranty
STRUCTURE PLANK 6" x 48"	.020" High Performance Urethane Aluminum Oxide	.120"	6" x 48"	36	18	55	42 lbs.	Exceeds 2,500 psi	ASTM F 1700 Class III, Type B	Yes	Yes	Residential - Lifetime Commercial - 10 Year Limited Warranty
STRUCTURE PLANK 7.25" x 48"	.020" High Performance Urethane Aluminum Oxide	.120"	7.25" x 48"	36.25	15	52	42 lbs.	Exceeds 2,500 psi	ASTM F 1700 Class III, Type B	Yes	Yes	Residential- Lifetime Commercial- 10 Year Limited Warranty
STRUCTURE PLANK 9" x 48"	.020" High Performance Urethane Aluminum Oxide	.120"	9" x 48"	36	12	52	42 lbs.	Exceeds 2,500 psi	ASTM F 1700 Class III, Type B	Yes	Yes	Residential - Lifetime Commercial - 10 Year Limited Warranty

IMPACT

Product	Wearlayer	Gauge	Size	Packaging			Carton Weight	Static Load Limit **	Federal Specifications *	Adhesive		Warranty
				Sq. Ft. per Carton	Pieces per Carton	Cartons per Pallet				AD-32 Pressure Sensitive Adhesive	AD-62 Wet Set Adhesive	
IMPACT 7.25" x 48"	.012" High Performance Urethane	.100"	7.25" x 48"	38.67	16	52	36.9 lbs.	Exceeds 250 psi	ASTM F 1700 Class III, Type B	Yes	Yes	25 Year Residential/ 7 Year Light Commercial Limited Warranty
IMPACT 6" x 48"	.012" High Performance Urethane	.100"	6" x 48"	36	18	55	34.4 lbs.	Exceeds 250 psi	ASTM F 1700 Class III, Type B	Yes	Yes	25 Year Residential/ 7 Year Light Commercial Limited Warranty
IMPACT SMARTLOCK 7" x 47.75"	.012" High Performance Urethane	.128"	7" x 47.75"	37.14	16	40	48 lbs.	Exceeds 250 psi	ASTM F 1700 Class III, Type B	N/A	N/A	25 Year Residential/ 7 Year Light Commercial Limited Warranty
IMPACT SMARTLOCK 5.75" x 47.75"	.012" High Performance Urethane	.128"	5.75" x 47.75"	30.51	16	50	39 lbs.	Exceeds 250 psi	ASTM F 1700 Class III, Type B	N/A	N/A	25 Year Residential/ 7 Year Light Commercial Limited Warranty

ENDURANCE

Product	Wearlayer	Gauge	Size	Packaging			Carton Weight	Static Load Limit **	Federal Specifications *	Adhesive		Warranty
				Sq. Ft. per Carton	Pieces per Carton	Cartons per Pallet				AD-32 Pressure Sensitive Adhesive	AD-62 Wet Set Adhesive	
ENDURANCE 6" x 36"	.008" Urethane Finish	.080"	6" x 36"	36	24	72	27 lbs.	Exceeds 250 psi	ASTM F 1700 Class III, Type B	Yes	Yes	10 Year Residential/ 5 Year Light Commercial Limited Warranty
ENDURANCE SMARTLINK 6" x 36"	.005" Urethane Finish	.120"	6" x 36"	24	16	64	26.5 lbs.	Exceeds 250 psi	ASTM F 1700 Class III, Type B	N/A	N/A	10 Year Residential/ 5 Year Light Commercial Limited Warranty

NOTES:

* All products listed above pass N.B.S. Smoke Density testing (ASTM E662-450 or less).
All products listed pass Critical Radiant Flux (ASTM E648-0.45 w/cm2 or greater).

** Static Load Limit: Laboratory test to determine 24 hr. residual indentation, not exceeding .005", after application of specific weight for 24 hours.

Grout Recommendations

DuraCeramic Origins

Design	SKU	1st Choice	2nd Choice
AMERICANA	AC01	DG35	DG11
	AC04	DG04	DG42
AURA	AU10	DG39	DG14
	AU11	DG02	DG39
CHRYSALIS	CY01	DG14	DG39
	CY02	DG39	DG14
	CY03	DG02	DG11
	CY04	DG39	DG04
CLEAN SLATE	CS31	DG39	DG02
	CS32	DG02	DG39
	CS33	DG35	DG04
	CS34	DG09	DG11
DREAMSCAPE	DS14	DG14	DS49
	DS34	DG39	DG35
EARTHPATH	EP14	DG35	DG44
	EP41	DG02	DG05
ELEMENTS	EL01	DG14	DG35
	EL02	DG11	DG09
	EL03	DG04	DG35
	EL04	DG04	DG47
PACIFIC MARBLE	PC11	DG14	DG35
	PC14	DG14	DG35
	PC54	DG05	DG35
	PC74	DG47	DG02
RAPOLANO	RA11	DG49	DG14
	RA41	DG44	DG14
	RA47	DG44	DG11
	RA64	DG04	DG44
	RA74	DG35	DG44
ROMAN ELEGANCE	RE30	DG14	DG39
	RE31	DG14	DG15
	RE35	DG35	DG44
	RE43	DG39	DG14
	RE44	DG09	DG47
RIVERBED	RB10	DG11	DG04
	RB11	DG02	DG11
	RB12	DG47	DG02
SIERRA SLATE	SI14	DG39	DG14
	SI34	DG04	DG02
	SI43	DG04	DG07
	SI47	DG04	DG35
	SI54	DG42	DG04
	SI74	DG44	DG35
STONEBROOK	SK01	DG15	DG14
	SK02	DG11	DG35
	SK03	DG35	DG05
	SK04	DG09	DG47
VILLAGE SLATE	VS36	DG47	DG09
	VS46	DG04	DG42
	VS74	DG35	DG04

DuraCeramic Dimensions

Design	SKU	1st Choice	2nd Choice
ARCHITECTURE	DAX00	DG11	DG04
	DAX01	DG04	DG05
	DAX02	DG47	DG09
CARRARA	DCR01	DG02	DG09
ENERGY	DFS01	DG11	DG09
PRAIRIE WOOD	DPW01	DG35	DG11
	DPW02	DG09	DG04
	DPW03	DG04	DG35
	DPW04	DG04	DG07
REVERIE	DRV01	DG02	DG39
	DRV02	DG11	DG02
	DRV03	DG47	DG07
STONE LEDGES	DSL02	DG35	DG05
	DSL03	DG11	DG02
	DSL04	DG47	DG09
TIDAL BASIN	DTB10	DG02	DG39
	DTB11	DG35	DG39
	DTB12	DG42	DG07
TRAVERTINO	DTV01	DG14	DG39
	DTV03	DG35	DG14
VISTA	DVT02	DG04	DG39
	DVT04	DG09	DG11
WALNUT GROVE	DWG01	DG05	DG35
	DWG02	DG04	DG11
	DWG03	DG07	DG04

Ovations

Design	SKU	1st Choice	2nd Choice
ALABASTER	AB14	DG14	DG15
	AB41	DG15	DG05
STONE FORD	SF14	DG14	DG15
	SF34	DG02	DG39
	SF41	DG05	DG44
	SF47	DG44	DG42
SUNSTONE	SS11	DG14	DG35
	SS47	DG39	DG06
	SS48	DG42	DG04
	SS74	DG44	DG35
TEXTURED SLATE	TE34	DG44	DG35
	TE39	DG47	DG04
	TE49	DG04	DG42
	TE54	DG04	DG44
	TE87	DG44	DG04

Congoleum Grout Colors

▲ DG49 Light Almond
▲ DG14 Biscuit
▲ DG15 Bone
▲ DG35 Navajo Brown
▲ DG44 Pale Umber
▲ DG06 Harvest
▲ DG39 Ivory
▲ DG02 Pewter

▲ DG05 Chamois
▲ DG42 Mocha
▲ DG07 Chocolate
▲ DG04 Bahama Beige
▲ DG11 Sahara Beige
▲ DG09 Gray
▲ DG47 Charcoal



DURACERAMIC ORIGINS
Riverbed RB10 Terrain, Grout DG11 Sahara Beige

Congoleum Adhesives

	3044 Premium Flooring Adhesive	AD-42 Clear Thin-Spread Adhesive	AD-32 Adhesive	AD62 Commercial Flooring Adhesive	AS-01 AirStep Adhesive	DS100 DuraSet Adhesive
Order Code:	03044	AD42	AD32	AD62	AS01	DS100
Use	ArmorCore UR ArmorCore	Alternatives	Structure* Ovations Impact* Endurance	Structure Impact	AirStep Advantage AirStep Evolution AirStep Plus ArmorCore Pro UR ArmorCore Pro ArmorCore LC	DuraCeramic Origins DuraCeramic Dimensions Ovations Structure* • Impact* Endurance
Tracers	Green/Ultramarine	Red/Green	Green	None	Navy Blue	Dark Red
Advantages	Moisture and alkali resistant, hard setting, resists indentations, nonstaining.	Moisture and alkali resistant, develops high initial tack. Solvent free, low odor.	Moisture and alkali resistant, develops high initial tack. Solvent free, low odor.	Hard setting, restricts indentation and thermal dimensional changes, moisture and alkali resistant	Moisture and alkali resistant, good initial tack. Solvent free, low odor.	Moisture and alkali resistant, high initial tack. Solvent free, low odor.
Type	Water based/Latex	Pressure sensitive/ Water based/Latex	Pressure sensitive/ Water based/Acrylic	Wet Set, Water based acrylic	Transitional Water based/Acrylic	Pressure sensitive/ Water based/Acrylic
Subfloors	Dry concrete on all grade levels, suspended wood floors, metal, terrazzo, ceramic, marble, approved resilient floor covering and suitable portland cement-based	Dry concrete on all grade levels, suspended wood floors, and approved resilient floor covering.	Dry concrete on all grade levels, suspended wood floors, approved resilient floor covering, and Congoleum UnderFlor.	Dry concrete on all grade levels, suspended wood floors, cement terrazzo and portland cement based leveling products	Dry concrete on all grade levels, suspended wood floors, metal, terrazzo, ceramic, marble, approved resilient floor covering and suitable portland cement-based embossing leveler.	Dry concrete on all grade levels, suspended wood floors, approved resilient floor covering, and Congoleum UnderFlor.
Trowel	1/16" wide x 1/32" deep x 1/32" apart, all substrates.	1/16" wide x 1/32" deep x 1/32" apart	1/16" wide x 1/32" deep x 1/32" apart, trowel blade adaptor included.	Porous substrates: 1/16" wide x 1/16" deep x 1/16" apart - square-notch Non-porous substrates: 1/32" wide x 1/16" deep x 1/32" apart - U-notch	1/16" wide x 1/32" deep x 1/32" apart (For all AirStep products on non-porous subfloors, apply with 1/4" nap paint roller.)	1/16" wide x 1/32" deep x 1/32" apart, trowel blade adaptor included.
Working Time	15 - 20 minutes	6 hours Dry to tack - 1 hour	6 hours Dry to tack - 30-60 min. under normal conditions	Up to 20 to 30 minutes depending substrate porosity	Wet: 15 - 20 minutes Dry to tack - 15-30 min. under normal conditions.	12 hours Dry to tack - 45-60 min. normal conditions.
Spread Rate	Fully Adhered: 200-270 sq. ft./gal. Perimeter: 4 in. band - 750 lin. ft./gal. Perimeter: 6 in. band - 500 lin. ft./gal. Seams: 8 in. band - 375 lin. ft./gal.	200 - 300 sq. ft./gal.	200 - 250 sq. ft./gal.	Porous substrates: Trowel notch: 1/16" wide x 1/16" deep x 1/16" apart - 125 to 150 sq. ft./gal. Non-porous substrates: Trowel notch: 1/32" wide x 1/16" deep x 1/32" apart - 185 to 245 sq. ft./gal.	Fully Adhered: Trowel: 200 - 250 sq. ft./gal. Paint Roller: 300-350 sq. ft./gal. Loose Lay Seams: 4 in. band - 750 lin. ft./gal. Loose Lay and Perimeter Fasten Seams: 6" band - 500 lin. ft./gal.	200 - 250 sq. ft./gal.
Freeze/Thaw Stable	Yes	Yes	Yes	Yes	Yes	Yes
Flammability	Nonflammable	Nonflammable	Nonflammable	Nonflammable	Nonflammable	Nonflammable
Cleanup	Wet: Soap and Water Dry: Clean cloth dampened with mineral spirits.*	Wet: Soap and Water Dry: Clean cloth dampened with mineral spirits.*	Wet: Soap and Water Dry: Clean cloth dampened with mineral spirits.*	Wet: Soap and Water Dry: Clean cloth dampened with mineral spirits.*	Wet: Soap and Water Dry: Clean cloth dampened with mineral spirits.*	Wet: Soap and Water Dry: Clean cloth dampened with mineral spirits.*
Shelf Life	One year if unopened	One year if unopened	One year if unopened	One year if unopened	One year if unopened	One year if unopened
Sizes	1 gal. (4/ctn.), 4 gal.	1 gal. (4/ctn.), 4 gal.	1 gal. (4/ctn.), 4 gal.	4 gal.	Qt. (12/ctn.) 1 gal. (4/ctn.), 4 gal.	Qt. (12/ctn.) 1 gal. (4/ctn.), 4 gal.

3044, AD42, AS01, DS100, AD62 and AD32 Adhesives - **Warning:** Eye and skin irritant. **Caution:** Mineral spirits are flammable.

*AD32 is recommended for residential and light commercial applications of Structure and Impact.

Congoleum Seam Sealers

SU92 Seam Sealer

SU80 Seam Sealer Kit

SU106 Seam Sealer Kit

Order Code	SU092	SU080	SU106
Use	Used to seal seams on: • ArmorCore Pro • ArmorCore TO70 Applicator Kit is required.	Used to seal seams on: • ArmorCore Pro • ArmorCore Applicator Included	Used to seal seams on: • AirStep Advantage • AirStep Evolution • AirStep Plus • ArmorCore LC Applicator Included • ArmorCore Pro UR • ArmorCore UR
Tack Free	20 minutes	20 minutes	2 hours
Set-Up Time	2 hours	2 hours	16 hours
Coverage	200 lin. ft.	50 lin. ft./kit	70 lin. ft./kit
Freeze/Thaw Stable	Not affected by freezing	Not affected by freezing	Not affected by freezing
Cleanup	Wet: Blot with cloth dampened with mineral spirits. Dry: Not removable.	Wet: Blot with cloth dampened with mineral spirits. Dry: Not removable.	Wet: Blot with cloth dampened with mineral spirits. Dry: Not removable.
Shelf Life	Two years if unopened	Two years if unopened	One year if unopened
Sizes	8 fl. oz. can (12 cans/carton)	2 fl. oz. per kit (12 kits/carton)	2 fl. oz. per kit (6 kits/carton)

SU092, SU080 and SU106 - WARNING: Flammable liquids; vapor harmful; eye and skin irritant.

YOUR CHOICE Installation

All Congoleum residential floors with White Shield Felt Backing can be installed by the **Your Choice** Installation System. This system provides you with options for installing the flooring either fully adhered or perimeter fastened over approved wood subfloors, concrete and properly prepared existing resilient flooring products. The products covered under **Your Choice** are:

- ArmorCore UR
- ArmorCore

YOUR CHOICE PLUS Installation

All Congoleum floors with UltraTec construction can be installed by the **Your Choice Plus** Installation System. This system allows you to install UltraTec products fully adhered, perimeter fastened or loose laid over approved wood subfloors, concrete and properly prepared existing resilient flooring products.

The products covered under **Your Choice Plus** are: AirStep Advantage, AirStep Evolution, AirStep Plus, ArmorCore LC, ArmorCore Pro UR and ArmorCore Pro.

Installation Instructions

For complete installation information and installation videos, visit us online at www.congoleum.com.

Installation Accessories

QuikStik Tape

Order Code: QS120

A double-sided tape for use with Your Choice Plus installation for seams in loose lay and perimeter fastened installations and for securing the perimeter on perimeter fastened jobs. Available in 2 1/2" x 120' rolls. **Coverage:** For Seams - 120 lineal ft.; for perimeter installations - 2 - 12' x 18' rooms or 1 - 50 sq. yd. room.

Endurance with SmartLink Adhesive Film

Order Code: CF910

For use with Endurance to reverse the direction in which the planks are being fastened or for repairs. Available in 3" x 9' rolls.

UnderFlor Underlayment

Order Code: UF120 or UFB07 for smaller rolls

The all-in-one underlayment system for floating installations of Congoleum DuraCeramic Origins, DuraCeramic Dimensions, Endurance, Impact and Ovations products. Available in 6' x 180' rolls (120 sq. yds. [1,080 sq. ft.]), or 6' x 16' 7 rolls (11.11 sq. yds. [100 sq. ft.]).

DuraCeramic Installation

Accessory Kit

Order Code: DD01

For easy grout clean up - kit contains two white 3M pads and sponge.

QuikStik UnderFlor

The all-in-one underlayment system with pre-applied adhesive for floating installations of Congoleum DuraCeramic Origins, DuraCeramic Dimensions, Endurance, Impact and Ovations products.

Large Roll Order Code: QSUFL - Contents: 1 roll 56.25" wide x 60 lin. ft. (281.25 sq ft) plus 1 roll tape (1.89" x 60 lin. ft.)

Small Roll Order Code: QSUSC - Contents: 1 roll 56.25" wide x 30 lineal feet (140.63 sq. ft.) plus 1 roll tape (1.89" x 30 lin. ft.)

Congoleum Residential Floor Care Products

Bright 'N Easy No-Rinse Cleaner

Order Code: 03001 Sizes: 32 oz., 12 bottles/ctn.
Order Code: 3001G Sizes: 128 oz., 4 bottles/ctn.

Bright 'N Easy Floor Polish

Order Code: 03002 Sizes: 32 oz., 12 bottles/ctn.
Order Code: 3002G Sizes: 128 oz., 4 bottles/ctn.

Bright 'N Easy Satin-Gloss Floor Polish

Order Code: 03007 Sizes: 32 oz., 12 bottles/ctn.
Order Code: 3007G Sizes: 128 oz., 4 bottles/ctn.

Bright 'N Easy Floor Polish Remover

Order Code: 03003 Sizes: 32 oz., 12 bottles/ctn.
Order Code: 3003G Sizes: 128 oz., 4 bottles/ctn.

Bright 'N Easy Spray Cleaner

Order Code: 03008 Sizes: 32 oz., 12 bottles/ctn.

Congoleum Commercial Floor Care Products

Bright 'N Easy Commercial No-Rinse Cleaner

Order Code: 5001C Size: 5 gallon pail, 1 pail/ctn.

Bright 'N Easy Commercial Floor Polish

Order Code: 5002C Size: 5 gallon pail, 1 pail/ctn.

Bright 'N Easy Commercial Floor Polish Remover

Order Code: 5003C Size: 5 gallon pail, 1 pail/ctn.