

TECHNICAL REFERENCE GUIDE

Technical Data

PATTERN NUMBER	PATTERN NAME	YOUR CHOICE PLUS INSTALL	REVERSE SHEETS	ECONOMY MATCH FOR SEAMING		TRUE DESIGN REPEAT		PATTERN NUMBER	PATTERN NAME	YOUR CHOICE PLUS INSTALL	REVERSE SHEETS	ECONOMY MATCH FOR SEAMING		TRUE DESIGN REPEAT	
				LENGTH	WIDTH	LENGTH	WIDTH					LENGTH	WIDTH	LENGTH	WIDTH
AIRSTEP ADVANTAGE Adhesive: AS-01 Seam Sealer: SU106								ARMORCORE PRO Adhesive: AS-01 Seam Sealer: SU80 or SU92							
88000 - 88005	Savor	Yes	No	54"	72"	54"	72"	AP131 - AP133	Woodridge	Yes	No	9"	9"	54"	72"
88010 - 88015	Playtime	Yes	No	RANDOM	48"	54"	48"	AP150 - AP153	Terrace Paver	Yes	No	18"	36"	54"	108"
88030 - 88032	Unwind	Yes	No	27"	13.09"	54"	144"	AP241	Loft	Yes	No	RANDOM	36"	54"	72"
88041 - 88042	Curious	Yes	No	RANDOM	36"	54"	72"	AP300 - AP301	Around The Block	Yes	No	18"	18"	54"	72"
88050 - 88054	Wonder	Yes	No	6"	36"	54"	144"	AP411 - AP412	Oak Run	Yes	No	RANDOM	48"	54"	48"
88060 - 88063	Reminisce	Yes	No	9"	48"	54"	48"	AP430 - AP432	Valley Path	Yes	No	27"	39.5"	54"	144"
88090 - 88093	Serene	Yes	No	RANDOM	36"	54"	36"	AP500 - AP502	Farmhouse Timber	Yes	No	RANDOM	36"	54"	72"
88100 - 88102	Whimsical	Yes	No	RANDOM	36"	54"	36"	AP600 - AP604	Contempo	Yes	No	6"	6"	54"	108"
AIRSTEP EVOLUTION Adhesive: AS-01 Seam Sealer: SU106								ARMORCORE UR Adhesive: 3044 Seam Sealer: SU106							
72000 - 72006	Terrace	Yes	No	18"	36"	54"	108"	AU131 - AU133	Woodridge	Yes*	No	9"	9"	54"	72"
72010 - 72019	Colonial Plank	Yes	No	RANDOM	36"	54"	72"	AU150 - AU153	Terrace Paver	Yes*	No	18"	36"	54"	108"
72044 - 72047	Cozumel	Yes	No	18"	27"	54"	72"	AU241	Loft	Yes*	No	RANDOM	36"	54"	72"
72050 - 72055	Grand Canyon	Yes	No	13.5"	13.09"	54"	78.54"	AU300 - AU301	Around The Block	Yes*	No	18"	18"	54"	72"
72060 - 72062	Fair Wind	Yes	No	27"	72"	54"	72"	AU411 - AU412	Oak Run	Yes*	No	RANDOM	48"	54"	48"
72063 - 72067	Rendezvous	Yes	No	27"	9"	54"	72"	AU430 - AU432	Valley Path	Yes*	No	27"	39.5"	54"	144"
72080 - 72084	Pathways	Yes	No	27"	36"	54"	72"	AU500 - AU502	Farmhouse Timber	Yes*	No	RANDOM	36"	54"	72"
72090 - 72091	Traverstone	Yes	No	27"	13.09"	54"	144"	AU600 - AU604	Contempo	Yes*	No	6"	6"	54"	108"
72101 - 72105	Forest Valley	Yes	No	RANDOM	8"	54"	48"	AU812 - AU814	Ethereal	Yes*	No	27"	72"	54"	72"
72120 - 72123	Rockport	Yes	No	RANDOM	48"	54"	48"	AU830 - AU831	Your Point	Yes*	No	RANDOM	RANDOM	54"	72"
72130 - 72133	Acacia	Yes	No	RANDOM	36"	54"	36"	AU901 - AU903	Canyon View	Yes*	No	27"	36"	54"	72"
72141	Casa Nova	Yes	No	27"	13.09"	54"	144"	AU950 - AU951	Santa Cruz	Yes*	No	27"	18"	54"	144"
72150	Kaleidoscope	Yes	No	18"	36"	54"	108"	AU980	Santa Fe	Yes*	No	9"	9"	54"	72"
72170 - 72173	Contour	Yes	No	27"	36"	54"	72"	ARMORCORE PRO UR Adhesive: AS-01 Seam Sealer: SU106							
72181 - 72184	Vintage Barnwood	Yes	No	13.5"	9"	54"	72"	UP131 - UP133	Woodridge	Yes	No	9"	9"	54"	72"
72190 - 72193	Bricklane	Yes	No	27"	36"	54"	72"	UP150 - UP153	Terrace Paver	Yes	No	18"	36"	54"	108"
72200 - 72203	Oakstand	Yes	No	RANDOM	8"	54"	72"	UP241	Loft	Yes	No	RANDOM	36"	54"	72"
AIRSTEP PLUS Adhesive: AS-01 Seam Sealer: SU106								ARMORCORE LC Adhesive: AS-01 Seam Sealer: SU106							
58005 - 58008	Woodland	Yes	No	9"	9"	54"	72"	LC131 - LC133	Woodridge	Yes	No	9"	9"	54"	72"
58010 - 58013	Satin Cloud	Yes	No	27"	72"	54"	72"	LC150 - LC153	Terrace Paver	Yes	No	18"	36"	54"	108"
58020 - 58027	Starlight	Yes	No	27"	26.18"	54"	26.18"	LC241	Loft	Yes	No	RANDOM	36"	54"	72"
58040 - 58041	Western Slate	Yes	No	27"	36"	54"	72"	LC300 - LC301	Around The Block	Yes	No	18"	18"	54"	72"
58081 - 58082	Crossing	Yes	No	54"	72"	54"	72"	LC411 - LC412	Oak Run	Yes	No	RANDOM	48"	54"	48"
58100 - 58102	Oxford Square	Yes	No	6"	6"	54"	108"	LC430 - LC432	Valley Path	Yes	No	27"	39.5"	54"	144"
58110 - 58111	Horizon	Yes	No	27"	13.09"	54"	52.36"	LC500 - LC502	Farmhouse Timber	Yes	No	RANDOM	36"	54"	72"
58120	Edgewood	Yes	No	RANDOM	36"	54"	72"	LC600 - LC604	Contempo	Yes	No	6"	6"	54"	108"
58130 - 58132	Topside	Yes	No	RANDOM	9"	54"	108"	LC812 - LC814	Ethereal	Yes	No	27"	72"	54"	72"
58140 - 58142	Linea	Yes	No	27"	12"	54"	48"	LC830 - LC831	Your Point	Yes	No	RANDOM	RANDOM	54"	72"
58160	Jamestown Plank	Yes	No	RANDOM	36"	54"	72"	LC901 - LC903	Canyon View	Yes	No	27"	36"	54"	72"
58170 - 58171	Smokehouse Timber	Yes	No	RANDOM	36"	54"	36"	LC950 - LC951	Santa Cruz	Yes	No	27"	18"	54"	144"
58180 - 58182	Canyon Bower	Yes	No	RANDOM	8"	54"	72"	LC980	Santa Fe	Yes	No	9"	9"	54"	72"
ARMORCORE Adhesive: 3044 Seam Sealer: SU80 or SU92								ARMORCORE PRO UR Adhesive: AS-01 Seam Sealer: SU106							
AC131 - AC133	Woodridge	Yes*	No	9"	9"	54"	72"	UP980	Santa Fe	Yes	No	9"	9"	54"	72"
AC150 - AC153	Terrace Paver	Yes*	No	18"	36"	54"	108"	ARMORCORE LC Adhesive: AS-01 Seam Sealer: SU106							
AC241	Loft	Yes*	No	RANDOM	36"	54"	72"	LC131 - LC133	Woodridge	Yes	No	9"	9"	54"	72"
AC300 - AC301	Around The Block	Yes*	No	18"	18"	54"	72"	LC150 - LC153	Terrace Paver	Yes	No	18"	36"	54"	108"
AC411 - AC412	Oak Run	Yes*	No	RANDOM	48"	54"	48"	LC241	Loft	Yes	No	RANDOM	36"	54"	72"
AC430 - AC432	Valley Path	Yes*	No	27"	39.5"	54"	144"	LC300 - LC301	Around The Block	Yes	No	18"	18"	54"	72"
AC500 - AC502	Farmhouse Timber	Yes*	No	RANDOM	36"	54"	72"	LC411 - LC412	Oak Run	Yes	No	RANDOM	48"	54"	48"
AC600 - AC604	Contempo	Yes*	No	6"	6"	54"	108"	LC430 - LC432	Valley Path	Yes	No	27"	39.5"	54"	144"
AC812 - AC814	Ethereal	Yes*	No	27"	72"	54"	72"	LC500 - LC502	Farmhouse Timber	Yes	No	RANDOM	36"	54"	72"
AC830 - AC831	Your Point	Yes*	No	RANDOM	RANDOM	54"	72"	LC600 - LC604	Contempo	Yes	No	6"	6"	54"	108"
AC901 - AC903	Canyon View	Yes*	No	27"	36"	54"	72"	LC812 - LC814	Ethereal	Yes	No	27"	72"	54"	72"
AC950 - AC951	Santa Cruz	Yes*	No	27"	18"	54"	144"	LC830 - LC831	Your Point	Yes	No	RANDOM	RANDOM	54"	72"
AC980	Santa Fe	Yes*	No	9"	9"	54"	72"	LC901 - LC903	Canyon View	Yes	No	27"	36"	54"	72"

* Your Choice - Fully adhere or perimeter fasten

Technical Data

Residential Resilient Sheet Flooring

Product	Construction	Packaging		Shipping Weight		Applicable Federal Specifications*	Warranty
		Width	S/Y	Per Unit	Per Package		
AIRSTEP ADVANTAGE featuring Scotchgard™ Protector	<i>Ultra Tec Construction</i> Wearlayer: Vinyl Resin and Urethane with Aluminum Oxide Cushion: High Density Vinyl Foam Inner Liner: White Shield Filled Fibrous Composition Backing: Dense Vinyl Composition	12'	80-130	4.35 lbs. per S/Y	536 lbs. Avg.	ASTM F1303 Type I Grade 2 Class B	Residential: AirStep Lifetime Limited Warranty
AIRSTEP EVOLUTION featuring Scotchgard™ Protector	<i>Ultra Tec Construction</i> Wearlayer: Vinyl Resin and Urethane with Aluminum Oxide Cushion: High Density Vinyl Foam Inner Liner: White Shield Filled Fibrous Composition Backing: Dense Vinyl Composition	12'	80-150	4.05 lbs. per S/Y	571 lbs. Avg.	ASTM F1303 Type I Grade 3 Class B	Residential: AirStep 50 Year Limited Warranty
AIRSTEP PLUS featuring Scotchgard™ Protector	<i>Ultra Tec Construction</i> Wearlayer: Vinyl Resin and Urethane Cushion: High Density Vinyl Foam Inner Liner: White Shield Filled Fibrous Composition Backing: Dense Vinyl Composition	12'	80-160	3.41 lbs. per S/Y	500 lbs. Avg.	ASTM F1303 Type I Grade 2 Class B	Residential: AirStep 20 Year Limited Warranty
ARMORCORE Matte Finish Wearlayer	<i>ArmorGuard Construction</i> Wearlayer: Low Gloss Vinyl Resin Composition Cushion: High Density Vinyl Foam Backing: White Shield Filled Fibrous Composition <i>BAC STOP Protection</i>	6'	40-130	2.71 lbs. per S/Y	257 lbs. Avg.	ASTM F1303 Type I Grade 3 Class A	Residential: 5 Year Limited Warranty
		12'	80-190	2.71 lbs. per S/Y	490 lbs. Avg.		
ARMORCORE PRO Matte Finish Wearlayer	<i>Ultra Tec Construction</i> Wearlayer: Low Gloss Vinyl Resin Composition Cushion: High Density Vinyl Foam Backing: Fibrous Felt Inner Layer and Dense Flexible Vinyl Composite Backing	6'	40-130	2.9 lbs. per S/Y	244 lbs. Avg.	ASTM F1303 Type I Grade 3 Class B	Residential: 5 Year Limited Warranty
		12'	80-170	2.9 lbs. per S/Y	475 lbs. Avg.		
ARMORCORE UR Matte Finish Wearlayer SDS - Stain Defense System	<i>ArmorGuard Construction</i> Wearlayer: Vinyl Resin and Urethane Cushion: High Density Vinyl Foam Backing: White Shield Filled Fibrous Composition <i>BAC STOP Protection</i>	6'	40-130	2.71 lbs. per S/Y	265 lbs. Avg.	ASTM F1303 Type I Grade 3 Class A	Residential: 10 Year Limited Warranty
		12'	80-190	2.71 lbs. per S/Y	517 lbs. Avg.		
ARMORCORE PRO UR Matte Finish Wearlayer SDS - Stain Defense System	<i>Ultra Tec Construction</i> Wearlayer: Vinyl Resin and Urethane Cushion: High Density Vinyl Foam Backing: Fibrous Felt Inner Layer and Dense Flexible Vinyl Composite Backing	6'	40-130	3.3 lbs. per S/Y	270 lbs. Avg.	ASTM F1303 Type I Grade 3 Class B	Residential: 10 Year Limited Warranty
		12'	80-175	3.3 lbs. per S/Y	509 lbs. Avg.		
ARMORCORE LC Matte Finish Wearlayer SDS - Stain Defense System	<i>Ultra Tec Construction</i> Wearlayer: Vinyl Resin and Urethane Cushion: High Density Vinyl Foam Backing: Fibrous Felt Inner Layer and Dense Flexible Vinyl Composite Backing	6'	40-130	3.3 lbs. per S/Y	207 lbs. Avg.	ASTM F1303 Type I Grade 1 Class B	Residential: 25 Year Limited Warranty
		12'	80-140	3.3 lbs. per S/Y	532 lbs. Avg.		

*5 Year Light Commercial Limited Warranty



All products are FloorScore Certified for indoor air quality performance. FloorScore certified hard surface flooring products are an alternative compliance to LEED credit EQ4.3 Low-Emitting Materials: Flooring Systems. For questions regarding any Congoleum flooring product consult the Congoleum website: www.congoleum.com.

POWERED BY
3M Global Services

Technical Data DuraCeramic Origins and DuraCeramic Dimensions

Product	Construction	Gauge (Nominal)	Size (Nominal)	Packaging			Carton Weight	DS100 Adhesive	DuraCeramic Premixed Grout	Warranty
				Sq. Ft. per carton	Pieces per carton	cartons per pallet				
DURACERAMIC ORIGINS featuring Scotchgard™ Protector	Nano-composite surface glaze, reinforced with Nylon particles, Limestone composite base	.160"	15.625" x 15.625"	17	10	48	30.5 lbs.	Yes	Yes	Residential: Lifetime Limited Warranty*
DURACERAMIC DIMENSIONS featuring Scotchgard™ Protector	Nano-composite surface glaze, reinforced with Nylon particles, Limestone composite base	.160"	12" x 24"	20	10	36	36 lbs.	Yes	Yes	Residential: Lifetime Limited Warranty*

Residential Tile and Plank

Product	Construction	Gauge (Nominal)	Size (Nominal)	Packaging			Carton Weight	AD32 or DS100 Adhesive	DuraCeramic Premixed Grout	Warranty
				Sq. Ft. per carton	Pieces per carton	cartons per pallet				
OVATIONS	Nano-composite surface glaze, Limestone composite base	.140"	14" x 14"	20.4	15	45	32.7 lbs.	Yes	Yes	Residential: 20 Year Limited Warranty

Commercial Composition Tile

Product	Wearlayer	Gauge	Packaging			Carton Weight	Static Load Limit ***	Federal Specifications	AD42 Adhesive	Warranty
			Sq. Ft. per carton	Pieces per carton	cartons per pallet					
ALTERNATIVES	Vinyl Composition	.125"	45	45	45	64 lbs.	250 lbs. per sq. inch	ASTM F 1066 Class II	Yes	Residential: 10 Year Limited Warranty**

NOTES:

All products listed above pass N.B.S. Smoke Density testing (ASTM E662-450 or less).

All products listed pass Critical Radiant Flux (ASTM E648-0.45 w/cm2 or greater).

* DuraCeramic Origins and DuraCeramic Dimensions when installed in a light commercial application, carry a Five-Year Light Commercial Limited Warranty.

** Alternatives, when installed in a commercial application, carries a Five-Year Commercial Limited Warranty.

*** Static Load Limit: Laboratory test to determine 24 hr. residual indentation, not exceeding .005", after application of specific weight for 24 hours.

Technical Data

Timeless Luxury Vinyl Tile and Plank

TRIVERSA™ and TRIVERSA ID

Product	Wearlayer	Gauge	Size	Packaging			Carton Weight	Static Load Limit	Warranty
				Sq. Ft. per carton	Pieces per carton	cartons per pallet			
TRIVERSA 7.125" x 48"	20 mil (0.5 mm) High Performance Urethane	8mm .310"	7.125" x 48"	28.52	12	40	47.8 lbs.	Passes 250 psi	Residential: Lifetime Commercial: 10 Year Limited Warranty
TRIVERSA 9" x 48"	20 mil (0.5 mm) High Performance Urethane		9" x 48"	29.94	10	40	50.2 lbs.		
TRIVERSA 6" x 36"	20 mil (0.5 mm) High Performance Urethane Finish		6" x 36"	20.55	14	48	34.76 lbs.		
TRIVERSA ID 18" x 48"	20 mil (0.5 mm) High Performance Urethane Finish		18" x 48"	24.68	4	44	41.55 lbs.		
TRIVERSA and TRIVERSA ID 12" x 24"	20 mil (0.5 mm) High Performance Urethane Finish		12" x 24"	24.03	12	48	40.5 lbs.		
TRIVERSA ID 9" x 60"	20 mil (0.5 mm) High Performance Urethane Finish		9" x 60"	29.84	8	40	50 lbs.		
TRIVERSA ID 5", 7", 12" x 60"	20 mil (0.5 mm) High Performance Urethane Finish		mixed width (5", 7", 12") x 60"	30.04	9	36	50.32 lbs.		
TRIVERSA ID 6" x 60", 36", 24"	20 mil (0.5 mm) High Performance Urethane Finish		6" x mixed length (60", 36", 24")	24.38	10	48	40.6 lbs.		

NOTES:

All products listed pass Critical Radiant Flux (ASTM E648-0.45 w/cm2 or greater).

* Static Load Limit: Laboratory test to determine 24 hr. residual indentation, not exceeding .005", after application of specific weight for 24 hours.

Triversa is not recommended for use on ramps, in commercial areas that require static dissipative flooring, or in commercial areas where the surface temperature over radiant heated substrate exceeds 85° F. Triversa is intended only for indoor applications.

UnderFlor AD62 adhesive must be used when heavy static or rolling loads are present or where high performance requirements must be met.

Technical Data

Timeless Luxury Vinyl Tile and Plank

STRUCTURE

Product	Wearlayer	Gauge	Size	Packaging			Carton Weight	Static Load Limit	Federal Specifications	Adhesive		Warranty
				Sq. Ft. per carton	Pieces per carton	cartons per pallet				AD-32 Pressure Sensitive Adhesive	AD-62 Wet Set Adhesive	
STRUCTURE TILE 18" x 36"	.020" High Performance Urethane Aluminum Oxide	.120"	18" x 36"	36	8	52	40 lbs.	Exceeds 2,500 psi	ASTM F 1700 Class III, Type B	Yes	Yes	Residential: Lifetime Commercial: 10 Year Limited Warranty
STRUCTURE TILE 18" x 18"			18" x 18"	36	16		42 lbs.			Yes	Yes	
STRUCTURE PLANK 6" x 48"			6" x 48"	36	18		42 lbs.			Yes	Yes	
STRUCTURE PLANK 7.25" x 48"			7.25" x 48"	36.25	15		42 lbs.			Yes	Yes	
STRUCTURE PLANK 9" x 48"			9" x 48"	36	12		42 lbs.			Yes	Yes	

IMPACT

Product	Wearlayer	Gauge	Size	Packaging			Carton Weight	Static Load Limit	Federal Specifications	Adhesive		Warranty	
				Sq. Ft. per carton	Pieces per carton	cartons per pallet				AD-32 Pressure Sensitive Adhesive	AD-62 Wet Set Adhesive		
IMPACT 7.25" x 48"	.012" High Performance Urethane	.100"	7.25" x 48"	38.67	16	52	36.9 lbs.	Exceeds 250 psi	ASTM F 1700 Class III, Type B	Yes	Yes	Residential: 25 Year Light Commercial: 7 Year Limited Warranty	
IMPACT 6" x 48"			.100"	6" x 48"	36	18	55			34.4 lbs.	Yes		Yes
IMPACT SMARTLOCK 7" x 47.75"			.128"	7" x 47.75"	37.14	16	40			40 lbs.	N/A		N/A
IMPACT SMARTLOCK 5.75" x 47.75"			.128"	5.75" x 47.75"	30.51	16	50			39 lbs.	N/A		N/A

ENDURANCE

Product	Wear-layer	Gauge	Size	Packaging			Carton Weight	Static Load Limit	Federal Specifications	Adhesive		Warranty
				Sq. Ft. per carton	Pieces per carton	cartons per pallet				AD-32 Pressure Sensitive Adhesive	AD-62 Wet Set Adhesive	
ENDURANCE 6" x 36"	.008" Urethane Finish	.080"	6" x 36"	36	24	72	27 lbs.	Exceeds 250 psi	ASTM F 1700 Class III, Type B	Yes	Yes	Residential: 10 Year Light Commercial: 5 Year Limited Warranty
ENDURANCE SMARTLINK 6" x 36"	.005" Urethane Finish	.120"	6" x 36"	24	16	64	26.5 lbs.			N/A	N/A	

NOTES:

* All products listed above pass N.B.S. Smoke Density testing (ASTM E662-450 or less).
All products listed pass Critical Radiant Flux (ASTM E648-0.45 w/cm2 or greater).

** Static Load Limit: Laboratory test to determine 24 hr. residual indentation, not exceeding .005", after application of specific weight for 24 hours.


DESIGN NAME	SKU	GROUT CHOICE 1	GROUT CHOICE 2
ARCHITECTURE	DAX02	DG11	DG107
CARRARA	DCR01	DG77	DG103
CAMEL STONE	DCS00	DG14	DG39
	DCS01	DG105	DG39
	DCS02	DG01	DG103
CHRYSALIS	CY01	DG77	DG14
	CY02	DG39	DG01
	CY03	DG02	DG107
DREAMSCAPE	DS14	DG01	DG77
EARTHPATH	EP41	DG02	DG05
ELEMENTAL	DEL01	DG77	DG15
	DEL02	DG27	DG106
	DEL03	DG35	DG39
ELEMENTS	EL01	DG39	DG35
	EL02	DG107	DG11
	EL03	DG105	DG11
	EL04	DG107	DG11
	EL05	DG104	DG107
	EL06	DG104	DG35
ENERGY	DFS01	DG107	DG11
IRON MOUNTAIN	DIM00	DG27	DG107
	DIM01	DG106	DG05
	DIM02	DG77	DG103
LONDON MIST	DLM01	DG02	DG35
	DLM02	DG77	DG01
	DLM03	DG10	DG107
	DLM04	DG09	DG39
PACIFIC MARBLE	PC11	DG77	DG01
	PC14	DG77	DG01
PRAIRIE WOOD	DPW01	DG11	DG107
RAPOLANO	RA11	DG14	DG01
	RA41	DG14	DG01
	RA47	DG15	DG39
	RA64	DG05	DG35
	RA74	DG39	DG15
REVERIE	DRV01	DG27	DG103
RIVERBED	RB10	DG27	DG107
ROMAN ELEGANCE	RE30	DG77	DG103
	RE31	DG15	DG39
	RE35	DG105	DG106
	RE43	DG01	DG39
SIERRA SLATE	SI14	DG39	DG01
	SI34	DG107	DG11
	SI43	DG11	DG106
	SI47	DG05	DG105
	SI54	DG05	DG105
	SI74	DG39	DG15
STONE LEDGES	DSL03	DG107	DG11
	DSL05	DG35	DG15
TRAVERTINO	DTV01	DG39	DG01
	DTV03	DG35	DG15
VILLAGE SLATE	VS36	DG107	DG11
	VS74	DG35	DG05
VISTA	DVT02	DG39	DG35
	DVT04	DG107	DG09
	DVT05	DG10	DG27

UNDERflor®

SAME GREAT PRODUCTS UNDER A NAME YOU ALREADY TRUST



PREMIUM PREMIXED GROUT COLORS



YOUR CHOICE INSTALLATION

All Congoleum residential floors with White Shield Felt Backing can be installed by the Your Choice Installation System. This system provides you with options for installing the flooring either fully adhered or perimeter fastened over approved wood subfloors, concrete and properly prepared existing resilient flooring products.

The products covered under *Your Choice* are:

- **ArmorCore UR**
- **ArmorCore**

YOUR CHOICE PLUS INSTALLATION

All Congoleum floors with UltraTec construction can be installed by the Your Choice Plus Installation System. This system allows you to install UltraTec products fully adhered, perimeter fastened or loose laid over approved wood subfloors, concrete and properly prepared existing resilient flooring products.

The products covered under *Your Choice Plus* are:

- **AirStep Advantage**
- **AirStep Evolution**
- **AirStep Plus**
- **ArmorCore LC**
- **ArmorCore Pro UR**
- **ArmorCore Pro.**

For complete installation information and installation videos, visit us online at www.congoleum.com.

RESIDENTIAL FLOOR CARE PRODUCTS

Bright 'N Easy No-Rinse Cleaner

Order Code: 03001 Sizes: 32 oz., 12 bottles/ctn.

Order Code: 3001G Sizes: 128 oz., 4 bottles/ctn.

Bright 'N Easy Floor Polish

Order Code: 03002 Sizes: 32 oz., 12 bottles/ctn.

Order Code: 3002G Sizes: 128 oz., 4 bottles/ctn.

Bright 'N Easy Satin-Gloss Floor Polish

Order Code: 03007 Sizes: 32 oz., 12 bottles/ctn.

Order Code: 3007G Sizes: 128 oz., 4 bottles/ctn.

Bright 'N Easy Floor Polish Remover

Order Code: 03003 Sizes: 32 oz., 12 bottles/ctn.

Order Code: 3003G Sizes: 128 oz., 4 bottles/ctn.

Bright 'N Easy Spray Cleaner

Order Code: 03008 Sizes: 32 oz., 12 bottles/ctn.

COMMERCIAL FLOOR CARE PRODUCTS

Bright 'N Easy Commercial No-Rinse Cleaner

Order Code: 5001C Size: 5 gallon pail, 1 pail/ctn.

Bright 'N Easy Commercial Floor Polish

Order Code: 5002C Size: 5 gallon pail, 1 pail/ctn.

Bright 'N Easy Commercial Floor Polish Remover

Order Code: 5003C Size: 5 gallon pail, 1 pail/ctn.

INSTALLATION ACCESSORIES

QUIKSTIK TAPE

Order Code: QS120

A double-sided tape for use with Your Choice Plus installation for seams in loose lay and perimeter fastened installations and for securing the perimeter on perimeter fastened jobs. Available in 2 1/2" x 120' rolls. Coverage: For Seams - 120 lineal ft.; for perimeter installations - 2 - 12' x 18' rooms or 1 - 50 sq. yd. room.

ENDURANCE WITH SMARTLINK ADHESIVE FILM

Order Code: CF910

For use with Endurance to reverse the direction in which the planks are being fastened or for repairs. Available in 3" x 9' rolls.

UNDERFLOR UNDERLAYMENT

Order Code: UF120 or UFB07 for smaller rolls

The all-in-one underlayment system for floating installations of Congoleum DuraCeramic Origins, DuraCeramic Dimensions, Endurance, Impact and Ovations products. Available in 6' x 180' rolls (120 sq. yds. [1,080 sq. ft.]), or 6' x 16' 7 rolls (11.11 sq. yds. [100 sq. ft.]).

DURACERAMIC INSTALLATION ACCESSORY KIT

Order Code: DD01

For easy grout clean up - kit contains two white 3M pads and sponge.

UNDERFLOR UNDERLAYMENT WITH QUIKSTIK ADHESIVE

The all-in-one underlayment system with pre-applied adhesive for floating installations of Congoleum DuraCeramic Origins, DuraCeramic Dimensions, Endurance, Impact and Ovations products.

Large Roll Order Code: QSUFL – Contents: 1 roll 56.25" wide x 60 lin. ft. (281.25 sq ft) plus 1 roll tape (1.89" x 60 lin. ft.)

QUIKSTIK UNDERFLOR SEAM TAPE

Not to be confused with QS120 (above) this tape is used specifically for use with UnderFlor Underlayment with QuikStik Adhesive.

QuikStik Seam Tape Order Code: QSUST – Contents: 24 rolls. Each roll 1.89" wide x 60 lin. ft.

UNDERflor®

SAME GREAT PRODUCTS UNDER A
NAME YOU ALREADY TRUST

Congoleum Adhesives

	3044 Premium Flooring Adhesive	AD-42 Clear Thin-Spread Adhesive	AD-32 Adhesive	AD62 Commercial Flooring Adhesive	AS-01 AirStep Adhesive	DS100 DuraSet Adhesive
ORDER CODE	03044	AD42	AD32	AD62	AS01	DS100
Use	ArmorCore UR ArmorCore	Alternatives	Structure* Ovations Impact* Endurance	Structure Impact	AirStep Advantage AirStep Evolution AirStep Plus ArmorCore Pro UR ArmorCore Pro ArmorCore LC	DuraCeramic Origins DuraCeramic Dimensions Ovations Structure* Impact* Endurance
Tracers	Green / Ultramarine	Red / Green	Green	None	Navy Blue	Dark Red
Advantages	Moisture and alkali resistant, hard setting, resists indentations, nonstaining.	Moisture and alkali resistant, develops high initial tack, solvent free, low odor.	Moisture and alkali resistant, develops high initial tack, solvent free, low odor.	Hard setting, restricts indentation and thermal dimensional changes, moisture and alkali resistant.	Moisture and alkali resistant, good initial tack, solvent free, low odor.	Moisture and alkali resistant, develops high initial tack, solvent free, low odor.
Types	Water based, Latex	Pressure sensitive, Water based, Latex	Pressure sensitive, Water based, Acrylic	Wet set, Water based, Acrylic	Transitional Water based, Acrylic	Pressure sensitive, Water based, Acrylic
Subfloors	Dry concrete on all grade levels, suspended wood floors, metal, terrazzo, ceramic, marble, approved resilient floor covering, and suitable portland cement-based	Dry concrete on all grade levels, suspended wood floors, and approved resilient floor covering	Dry concrete on all grade levels, suspended wood floors, approved resilient floor covering, and Congoleum UnderFlor	Dry concrete on all grade levels, suspended wood floors, cement, terrazzo, and portland cement-based leveling products	Dry concrete on all grade levels, suspended wood floors, metal, terrazzo, ceramic, marble, approved resilient floor covering and suitable portland cement-based embossing leveler	Dry concrete on all grade levels, suspended wood floors, approved resilient floor covering, and Congoleum UnderFlor
Trowel	1/16" wide x 1/32" deep x 1/32" apart, all substrates	1/16" wide x 1/32" deep x 1/32" apart	1/16" wide x 1/32" deep x 1/32" apart, trowel blade adaptor included	Porous Substrates: 1/16" wide x 1/16" deep x 1/32" apart - square-notch Non-Porous Substrates: 1/32" wide x 1/32" deep x 1/32" apart - U-notch	1/16" wide x 1/32" deep x 1/32" apart (For all AirStep products on non-porous subfloors, apply with 1/4" nap paint roller.)	1/16" wide x 1/32" deep x 1/32" apart, trowel blade adaptor included
Working Time	15 - 20 minutes	6 hours Dry to tack - 1 hour	6 hours Dry to tack - 30-60 minutes under normal conditions	Up to 20-30 minutes depending on substrate porosity	Wet: 15-20 minutes Dry to tack: 15-30 minutes under normal conditions	12 hours Dry to tack - 45-60 minutes under normal conditions
Spread Rate	Fully Adhered: 200-270 sq. ft./gal. Perimeter, 4" band: 750 lin. ft./gal. Perimeter, 6" band: 500 lin. ft./gal. Seams, 8" band: 375 lin. ft./gal	200 - 300 sq. ft./gal.	200 - 250 sq. ft./gal.	Porous Substrates: Trowel Notch: 1/16" wide x 1/16" deep x 1/16" apart 125 - 150 sq. ft./gal. Non-Porous Substrates: Trowel Notch: 1/32" wide x 1/16" deep x 1/32" apart 185 - 245 sq. ft./gal.	Fully Adhered: Trowel: 200-250 sq. ft./gal. Paint Roller: 300-350 sq. ft./gal. Loose Lay Seams: 4" Band: 750 lin. ft./gal. Loose Lay and Perimeter Fasten Seams: 6" Band: 500 lin. ft./gal.	200-250 sq. ft./gal.
Freeze / Thaw Stable	Yes	Yes	Yes	Yes	Yes	Yes
Flammability	Nonflammable	Nonflammable	Nonflammable	Nonflammable	Nonflammable	Nonflammable
Cleanup	Wet: Soap and Water Dry: Clean cloth dampened with mineral spirits [§]	Wet: Soap and Water Dry: Clean cloth dampened with mineral spirits [§]	Wet: Soap and Water Dry: Clean cloth dampened with mineral spirits [§]	Wet: Soap and Water Dry: Clean cloth dampened with mineral spirits [§]	Wet: Soap and Water Dry: Clean cloth dampened with mineral spirits [§]	Wet: Soap and Water Dry: Clean cloth dampened with mineral spirits [§]
Shelf Life	1 year if unopened	1 year if unopened	1 year if unopened	1 year if unopened	1 year if unopened	1 year if unopened
Sizes	1 gal. (4/ctn.), 4 gal.	1 gal. (4/ctn.), 4 gal.	1 gal. (4/ctn.), 4 gal.	4 gal.	Qt. (12/ctn.), 1 gal. (4/ctn.), 4 gal.	Qt. (12/ctn.), 1 gal. (4/ctn.), 4 gal.

3044, AD42, AS01, DS100, AD62 and AD32 Adhesives - **Warning:** Eye and skin irritant.

[§] **Caution:** Mineral spirits are flammable.

* AD32 is recommended for residential and light commercial applications of Structure and Impact.

© 2017 Congoleum Corporation

3M, Scotchgard and the plaid design are trademarks of 3M.

Congoleum Seam Sealers

ORDER CODE	SU092 Seam Sealer	SU080 Seam Sealer Kit	SU106 Seam Sealer Kit
USE	Used to seal seams on: <ul style="list-style-type: none"> • ArmorCore Pro • ArmorCore <i>TO70 Applicator Kit is required.</i>	Used to seal seams on: <ul style="list-style-type: none"> • ArmorCore Pro • ArmorCore <i>TO70 Applicator Kit is required.</i>	Used to seal seams on: <ul style="list-style-type: none"> • AirStep Advantage • AirStep Evolution • AirStep Plus • ArmorCore LC • ArmorCore Pro UR • ArmorCore UR <i>TO70 Applicator Kit is required.</i>
TACK FREE	20 minutes	20 minutes	2 hours
SET-UP TIME	2 hours	2 hours	16 hours
COVERAGE	200 lin. ft.	50 lin. ft / kit	70 lin. ft. / kit
FREEZE / THAW STABLE	Not affected by freezing	Not affected by freezing	Not affected by freezing
CLEANUP	Wet: Blot with cloth dampened with mineral spirits. Dry: Not removable.	Wet: Blot with cloth dampened with mineral spirits. Dry: Not removable.	Wet: Blot with cloth dampened with mineral spirits. Dry: Not removable.
SHELF LIFE	Two years if unopened	Two years if unopened	One year if unopened
SIZES	8 fl. oz. can (12 cans/carton)	2 fl. oz. can (12 cans/carton)	2 fl. oz. can (6 cans/carton)

SU092, SU080 and SU106 - WARNING: Flammable liquids; vapor harmful; eye and skin irritant.

UNDERflor[®]
 SAME GREAT PRODUCTS UNDER
 A NAME YOU ALREADY TRUST