

Product Name:
Congoleum Bright 'N Easy Floor Polish

Date Revised: 05/07/2015

Preparer: LGD
Reviewer:


SECTION 1 – PRODUCT AND COMPANY IDENTIFICATION

Product Name: Congoleum Bright 'N Easy Floor Polish
Manufacturer: Congoleum Corporation
Address: 3500 Quakerbridge Road
 Mercerville, NJ 08619
 800-274-3266
Emergency Phone: CHEM TEL at 800-255-3924 (24 Hours)
Product Uses: Floor finish

SECTION 2 – HAZARDS IDENTIFICATION

GHS Label Elements:

Classification: Eye Irritation (2A) Signal Word: **WARNING**

Hazard Statement: Causes Serious Eye Irritation Pictogram: 

Precautionary Statements:

Keep out of reach of children; Read label before use; If medical advice is needed: Have product container or label at hand.

Prevention: Wear eye protection.
 Wash contaminated body parts thoroughly after handling.

Response: **IF IN EYES:** Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue Rinsing; If eye irritation persists, get medical attention.

SECTION 3 – COMPOSITION/INFORMATION ON INGREDIENTS

Components	CAS Number	Weight %	GHS-US Classification
Styrene/acrylic copolymer emulsion	NA	38	Not Available
Diethylene glycol ethyl ether	111-90-0	~5	Not a hazardous substance
Tributoxyethyl phosphate	78-51-3	~3	Acute Toxicity-Inhalation (4) Acute Toxicity-Dermal (4) Skin Irritant (2) Eye Irritant (2A) STOT-SE (3): Resp Acute Aquatic Toxicity (3) Chronic Aquatic Toxicity (3)

*STOT-SE (3): Resp= Specific Target Organ Toxicity-Single Exposure (3) – Respiratory Tract Irritation

SECTION 4 – FIRST AID MEASURES

Eyes: If in eyes, rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical attention.

Skin: Rinse the contaminated area with soap and water.

Ingestion: If swallowed, do NOT induce vomiting. Seek immediate medical attention.

Inhalation: Remove person to fresh air. If respiratory irritation, dizziness, nausea, or unconsciousness occurs, seek immediate medical assistance. If breathing has stopped, give artificial respiration.

Most important symptoms/effects, acute and delayed as described below:

Eyes: Serious eye irritant.

SECTION 5 – FIRE FIGHTING MEASURES

Suitable Extinguishing Media: Foam, CO2. dry chemical, water spray

Unsuitable Extinguishing Media: No data available.

Special fire Fighting Procedures For fires involving this material, do not enter enclosed or confined fire space without protective equipment including self-contained breathing apparatus. Use water to cool fire-exposed containers.

Unusual Fire and Explosion Hazards: Material may splatter when temperature exceeds boiling point. Containers may burst in heat of fire.

SECTION 6 – ACCIDENTAL RELEASE MEASURES

Personal Precautions: Avoid contact with eyes and skin.

Methods for Clean Up: For small spills mop up as much as possible and flush area with water. For large spills, soak up with absorbent. Shovel into waste containers. Flush area with water. Spilled material is slippery; use care to avoid falling.

SECTION 7 – HANDLING AND STORAGE

- Avoid contact with eyes. Avoid prolonged or repeated skin contact.
- Store at temperatures between 55 and +100°F. Store only in the original container.

SECTION 8 – EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Controls

Eye Protection: Use safety eyewear including safety glasses. Eyewash stations should be readily accessible.

Skin Protection: Use neoprene, nitrile, or rubber gloves to prevent skin contact.



SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	Milky white liquid
Odor:	Acrylic
Odor Threshold:	No data available
Physical State:	Liquid
pH:	9.5
Melting Point/ Freezing Point:	No data available
Boiling Range:	No data available
Flash Point:	None
Evaporation Rate:	<1
Flammability (solid; gas):	None
Upper/Lower Explosive Limits (% by volume of vapor):	No data available
Vapor Pressure:	> 17 mm Hg @ 68° F
Vapor Density:	< 1
Specific Gravity or Relative Density:	1.03
Solubility(ies):	Complete
Partition Coefficient (n-octanol/water):	No data available
Viscosity:	No data available
Auto-ignition temperature	No data available
Decomposition temperature	No data available

SECTION 10 – STABILITY AND REACTIVITY
--

<u>Chemical Stability:</u>	Stable under recommended storage conditions.
<u>Conditions to Avoid:</u>	No data available
<u>Incompatible Materials:</u>	Salt solutions or acids may destabilize emulsion
<u>Hazardous Decomposition Products:</u>	Thermal decomposition on burning may produce CO, CO2

SECTION 11 – TOXICOLOGICAL INFORMATION

<u>Potential Routes of Exposure:</u>	Eyes – Causes serious eye irritation
<u>Delayed and chronic effects from short and long term exposure</u>	No information available
<u>Carcinogens or suspected carcinogenic ingredients</u>	None

SECTION 12 – ECOLOGICAL INFORMATION
--

No data available.

SECTION 13 – DISPOSAL CONSIDERATIONS

Product should be prevented from entering storm sewers and drains or contact with soil.

SECTION 14 – TRANSPORT INFORMATION

DOT Classification: Buffing and Polishing Compound, NOI
 Not dangerous goods for DOT, IATA, IMDG or TDG

SECTION 15 – REGULATORY INFORMATION

TSCA Inventory: All components are listed

EPA SARA Title III Section 313 This product contains the following listed chemical: Diethylene glycol ethyl ether 111-90-0

California Safe Drinking Water & Toxic Enforcement ACT (Proposition 65) This product does not contain any chemicals known the State of California to cause cancer, birth defects, or other reproductive harm.

SECTION 16 – OTHER INFORMATION

NFPA health hazard 1 Exposure would cause irritation with only minor residual injury..

NFPA fire hazard 0 Materials will not burn under typical fire conditions.


NFPA reactivity 0 Normally stable,

HMIS III Rating

Health 1 Irritation and minor, reversible injury

Flammability 0 Materials will not burn

Physical 0 Materials are normally stable



Given available knowledge, the information contained herein is accurate. However, neither Congoleum Corporation nor any of its subsidiaries or affiliates assumes any liability whatsoever for the completeness or accuracy of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials should be used with caution. Although certain hazards are described herein, Congoleum Corporation cannot guarantee that these are the only hazards that exist.

Supersedes: 10/07/1996, 10/07/1997, 05/20/2004, 08/05/2005, 08/02/2008, 09/29/2008, 11/14/2013 (3000302211)

H:\EH&S\...\MSDS\Sundries\2015 Revisions\2015-05-07 BNE Floor Polish.doc

END OF DOCUMENT