

Product Name:
Congoleum AS-01

Date Revised: 10/30/2015

Preparer: LGD

Reviewer: TCG

SECTION 1 – PRODUCT AND COMPANY IDENTIFICATION

Product Name: Congoleum AS-01
Manufacturer: Congoleum Corporation
Address: 3500 Quakerbridge Road
Mercerville, NJ 08619
800-274-3266
Emergency Phone: CHEM TEL at 800-255-3924 (24 Hours)
Product Uses: Flooring Adhesive

SECTION 2 – HAZARDS IDENTIFICATION

Classification

This product does not meet the hazardous criteria set forth by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200).

SECTION 3 – COMPOSITION/INFORMATION ON INGREDIENTS

No hazardous ingredients

SECTION 4 – FIRST AID MEASURES

Eyes: Wash immediately with water.
Skin: Wash with plenty of water and soap.
Ingestion: Do NOT induce vomiting; get medical attention showing the SDS and the hazard label.
Inhalation: Remove casualty to fresh air and keep warm and at rest.

SECTION 5 – FIRE FIGHTING MEASURES

Suitable Extinguishing Media: Water, Carbon Dioxide (CO2)
Unsuitable Extinguishing Media: None in particular.
Unusual Fire and Explosion Hazards: Do not inhale explosion and combustion gases. Burning produces heavy smoke.
Special protective equipment and precautions for fire-fighters Use suitable breathing apparatus. Collect contaminated fire extinguishing water separately. Water must not be discharged into drains. Move damaged containers from immediate hazard area if it can be done safely.

SECTION 6 – ACCIDENTAL RELEASE MEASURES
--

<u>Personal Precautions:</u>	Wear personal protection equipment. Remove persons to safety. See protective measures under Sections 7 and 8.
<u>Environmental Precautions:</u>	Prevent spills from entering storm sewers and drains.
<u>Methods for Clean Up:</u>	Suitable material for taking up: absorbing material, organic, sand. Wash with plenty of water.

SECTION 7 – HANDLING AND STORAGE

- Avoid contact with skin and eyes, inhalation of vapors and mists.
- Do not eat or drink while working.
- See also Section 8 for recommended protective equipment.

SECTION 8 – EXPOSURE CONTROLS/PERSONAL PROTECTION
--

Exposure Controls

<u>Eye Protection:</u>	Not needed for normal use. Operate according to good working practices anyway.
<u>Skin Protection:</u>	No special precaution must be adopted for normal use.

SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	Paste White
Odor:	Acrylate like
Odor Threshold:	NA
Physical State:	Liquid
pH:	9.00
Melting Point/ Freezing Point:	NA
Boiling Range:	>100°C (212°F)
Flash Point:	>100°C (212°F)
Evaporation Rate:	Similar to water
Flammability (solid; gas):	NA
Upper/Lower Explosive Limits (% by volume of vapor):	NA
Vapor Pressure:	1.00 (kPa 50°C)
Vapor Density:	1.15
Specific Gravity or Relative Density:	NA
Solubility(ies):	Dispersible in water
Partition Coefficient (n-octanol/water):	NA
Viscosity:	NA
Auto-ignition temperature	NA
Decomposition temperature	NA

SECTION 10 – STABILITY AND REACTIVITY

Chemical Stability: No available data.
Conditions to Avoid: Stable under normal conditions.
Incompatible Materials: None in particular.
Hazardous Decomposition Products: None known.

SECTION 11 – TOXICOLOGICAL INFORMATION

No data available.

SECTION 12 – ECOLOGICAL INFORMATION

Eco-Toxicological Information

Adopt good working practices so that the product is not released into the environment.

Component	Eco-Toxicological Information
Petroleum distillate	LC50 Aquatic acute toxicity; Fish Pimpephales promelas=35 mg/L 96h IUCLID. LC50 Aquatic acute toxicity Pimephales > 10000,00000 mg/L 96h Static. Lc50 Aquatic acute toxicity Fish Pimephales promelas = 35 mg/L 96h IUCLID.

SECTION 13 – DISPOSAL CONSIDERATIONS

Waste must be handled in accordance with all federal, state, provincial, and local regulations. Consult authorities before disposal.

SECTION 14 – TRANSPORT INFORMATION

Product is not regulated under transport codes.

SECTION 15 – REGULATORY INFORMATION

TSCA Inventory: All components are listed on the TSCA inventory. Petroleum distillate is a TSCA listed substance.
EPA SARA Title III Section 313 This product contains no listed ingredients.
California Safe Drinking Water & Toxic Enforcement ACT (Proposition 65) This product contains no listed ingredients.

SECTION 16 – OTHER INFORMATION

NFPA health hazard	0 Poses no health hazard.
NFPA fire hazard	1 Material requires considerable pre-heating under ambient conditions before ignition.
NFPA reactivity	0 Normally stable,
HMIS III Rating	
Health	0 No significant risk to health.
Flammability	1 Material must be preheated before ignition occurs.
Physical	0 Materials are normally stable



Given available knowledge, the information contained herein is accurate. However, neither Congoleum Corporation nor any of its subsidiaries or affiliates assumes any liability whatsoever for the completeness or accuracy of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials should be used with caution. Although certain hazards are described herein, Congoleum Corporation cannot guarantee that these are the only hazards that exist.

Supersedes: 3/20/2008; 1/17/2012; 11/14/2013

H:\EH&S\...\MSDS\Sundries\2015 Revisions\2015-10-30 Congoleum AS-01.doc

END OF DOCUMENT