# **GHS Safety Data Sheet**



Product Name: Date Revised: 05/07/2015

Congoleum Bright 'N Easy Commercial Polish Remover

Preparer: LGD Reviewer:

#### SECTION 1 – PRODUCT AND COMPANY IDENTIFICATION

<u>Product Name:</u> Congoleum Bright 'N Easy Commercial Floor Polish Remover

Manufacturer: Congoleum Corporation

Address: 3500 Quakerbridge Road

Mercerville, NJ 08619

800-274-3266

Emergency Phone: CHEM TEL at 800-255-3924 (24 Hours)

<u>Product Uses:</u> Floor finish stripper

## **SECTION 2 – HAZARDS IDENTIFICATION**

**GHS Label Elements:** 

<u>Classification:</u> Skin Corrosion (1B) <u>Signal Word:</u> **DANGER** 

Hazard Statement: Causes severe skin burns

tement: and eye damage. Pictogram:

**Precautionary Statements:** 

Keep out of reach of children; Read label before use; If medical advice is needed: Have product container or label at hand.

<u>Prevention:</u> Wear protective gloves (impervious), and eye protection (such as chemical goggles);

Wash contaminated body parts thoroughly after handling.

Response: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. **IF ON SKIN (or hair):** Take off immediately all contaminated clothing. Rinse skin with water, or shower; Wash contaminated clothing before reuse; **IF SWALLOWED:** Rinse mouth. Do NOT induce vomiting. Immediately call a **POISON CONTROL CENTER. IF INHALED:** Remove person to fresh air and keep comfortable for

breathing.

Storage Store locked up.

<u>Disposal:</u> Dispose of container in accordance with federal, state, and local regulations.

## SECTION 3 – COMPOSITION/INFORMATION ON INGREDIENTS

Components	CAS Number	Weight %	GHS-US Classification
Caustic soda solution	1310-73-2	~8	Corrosive to metals (1)
			Skin Corrosion (1B)
			Eye Damage (1)
Monoethanolamine	141-43-5	~9	Flammable Liquid (4)
			Acute Toxicity-Inhalation (4)
			Acute Toxicity-Oral (4)
			Acute Toxicity-Dermal (4)
			Skin Corrosion (1B)
			Eye Damage (1)

# **GHS Safety Data Sheet**



			STOT-RE (3): Resp
Sodium Silicate	1344-09-8	~8	Acute Toxicity-Oral (4)
Sodium xylene sulfonate	1300-72-7	3.5	Skin Irritant (2)
			Eye Irritant (2A)
			STOT-SE (3): Resp

<sup>\*</sup>STOT-SE (3): Resp= Specific Target Organ Toxicity-Single Exposure (3) – Respiratory Tract Irritation

#### **SECTION 4 – FIRST AID MEASURES**

Eyes: Hold eyelids apart and flush eyes with plenty of water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing. If irritation persists, seek medical

attention.

Skin: Rinse the contaminated area thoroughly with water. Wash clothing before reuse.

<u>Ingestion:</u> Wash mouth with water. Do NOT induce vomiting. Immediately call a poison control

center.

Inhalation: Remove person to fresh air. If respiratory irritation, dizziness, nausea, or unconsciousness

occurs, seek immediate medical assistance. If breathing has stopped, give artificial

respiration.

Most important symptoms/effects, acute and delayed as described below:

<u>Eyes:</u> Causes severe eye damage.

Skin: Causes severe skin burns.

<u>Ingestion:</u> May cause corrosive damage to mouth, throat, or stomach. Large oral doses may cause

diarrheal, intestinal bleeding.

#### **SECTION 5 – FIRE FIGHTING MEASURES**

Suitable Extinguishing Media: Product does not support combustion. Use extinguishing media

appropriate for surrounding fire.

<u>Unsuitable Extinguishing Media:</u> No data available.

<u>Unusual Fire and Explosion</u> Containe

Hazards:

Containers may burst in heat of fire.

#### **SECTION 6 – ACCIDENTAL RELEASE MEASURES**

Personal Precautions: Avoid contact with eyes and skin.

Environmental Precautions: Prevent spills from entering storm sewers and drains or contact with soil.

Undiluted, this product is regulated under RCRA for disposal as a corrosive waste. Regulated quantities should be disposed of by neutralization at a permitted facility in accordance with federal, state and local regulations.

Methods for Clean Up: For small spills mop up as much as possible and flush area with water.

For large spills, soak up with absorbent. Shovel into waste containers. Flush area with water. Spilled material is slippery; use care to avoid

falling.

Waste from normal product use can be flushed to sanitary sewer which

leads to sewage treatment facility.



## **SECTION 7 – HANDLING AND STORAGE**

- Avoid contact with eyes.
- Store at temperatures between 55 and +100°F. Store only in the original container.

# SECTION 8 – EXPOSURE CONTROLS/PERSONAL PROTECTION

**Exposure Controls** 

**Eye Protection:** Use safety eyewear including safety glasses.

Eyewash stations should be readily

accessible.

Skin Protection: Use impervious gloves.





### **SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES**

Appearance:	Clear green liquid
Odor:	Mild
Odor Threshold:	No data available
Physical State:	Liquid
pH:	13+
Melting Point/ Freezing Point:	No data available
Boiling Range:	No data available
Flash Point:	None
Evaporation Rate:	<1
Flammability (solid; gas):	None
Upper/Lower Explosive Limits (% by volume of vapor):	None
Vapor Pressure:	No data available
Vapor Density:	No data available
Specific Gravity or Relative Density:	1.08
Solubility(ies):	Complete
Partition Coefficient (n-octanol/water):	No data available
Viscosity:	No data available
Auto-ignition temperature	No data available
Decomposition temperature	No data available

# **SECTION 10 – STABILITY AND REACTIVITY**

<u>Chemical Stability:</u> Stable under recommended storage conditions.

<u>Conditions to Avoid:</u> No data available

<u>Incompatible Materials:</u> Strong acids (e.g. muriatic acid)

<u>Hazardous Decomposition Products:</u> Thermal decomposition may yield oxides of carbon.

# **SECTION 11 – TOXICOLOGICAL INFORMATION**

<u>Potential Routes of</u> Eyes – Causes severe eye damage. <u>Exposure:</u> Skin – Causes severe skin burns.

Delayed and chronic No data available.

effects from short and long term exposure

# **GHS Safety Data Sheet**



Carcinogens or

suspected carcinogenic ingredients

#### **SECTION 12 – ECOLOGICAL INFORMATION**

No data available.

#### **SECTION 13 – DISPOSAL CONSIDERATIONS**

Product should be prevented from entering storm sewers and drains or contact with soil.

## **SECTION 14 - TRANSPORT INFORMATION**

DOT Classification: NA 1760, Compounds, Cleaning Liquid, 8, PG III (contains Sodium Hydroxide)

DOT Classification (gallons and less): Consumer Commodity, ORM-D

#### **SECTION 15 – REGULATORY INFORMATION**

TSCA Inventory: All components are listed

**EPA SARA Title III Section** This product contains no listed ingredient.

None

313

California Safe Drinking

Water & Toxic

**Enforcement ACT** (Proposition 65)

This product does not contains the following Proposition 65 listed chemical:

Diethanolamine 111-42-2 (cancer)

## **SECTION 16 – OTHER INFORMATION**

NFPA health hazard 2 Temporary or minor injury may occur NFPA fire hazard

0 Materials will not burn under typical fire

conditions.

0 Normally stable, NFPA reactivity

**HMIS III Rating** 

Health 2 Temporary or minor injury may occur

**Flammability** 0 Materials will not burn **Physical** 0 Materials are normally stable

Given available knowledge, the information contained herein is accurate. However, neither Congoleum Corporation nor any of its subsidiaries or affiliates assumes any liability whatsoever for the completeness or accuracy of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials should be used with caution. Although certain hazards are described herein, Congoleum Corporation cannot guarantee that these are the only hazards that exist.

Supersedes: 10/07/1997, 05/20/2004, 08/17/2005, 09/29/2008, 09/21/2011, 11/14/2013

(3000302210)

H:\EH&\$\...\MSD\$\Sundries\2015 Revisions\2015-05-05 BNE Floor Polish Remover-COMC.doc

**END OF DOCUMENT**